



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORTALITY—Continued.

Weekly mortality table, foreign and insular cities—Continued.

Cities.	Week ended—	Estimated population.	Total deaths from all causes.	Deaths from—								
				Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever.	Scarlet fever.	Diphtheria.
Smyrna.....	May 7		86	18						3		
Do.....	May 14		66	10						2		
Do.....	May 21		75	14						1		1
Southampton.....	June 25	127,157	17	1								1
Talcahuana.....	May 25	28,000								1		
Do.....	June 4			2							2	
Triesta.....	June 18	221,124	84							1		1
Valencia.....	do.....	240,000	85	9						1		1
Vienna.....	do.....	2,107,981	590	106							4	23
Vigo.....	do.....	40,000	7	1				1				
Vladivostok.....	Apr. 28	90,162	14	1						1		
Do.....	May 5		11							1		
Do.....	May 13		18	4						3		
Do.....	May 21		14	1						1	2	
Winnipeg.....	July 2	135,000	22	1								1
Yokohama.....	June 13	407,432								1		

MORTALITY—FOREIGN AND INSULAR—COUNTRIES AND CITIES (untabulated).

AUSTRIA—*Brünn*.—Month of April, 1910. Population 94,500. Total number of deaths from all causes 257, including typhoid fever 1, scarlet fever 2, diphtheria 4, tuberculosis 56.

BERMUDA—*Hamilton*.—Two weeks ended June 13, 1910. Population 20,206. Total number of deaths from all causes 8. No contagious diseases reported.

FRANCE—*Marseille*.—Month of May, 1910. Population 517,498. Total number of deaths from all causes 820, including typhoid fever 19, measles 17, scarlet fever 1, diphtheria 2, tuberculosis 138.

Nice.—Month of April, 1910. Population 150,881. Total number of deaths from all causes 261, including typhoid fever 3, tuberculosis 46.

GREAT BRITAIN.—Week ended June 11, 1910.

England and Wales.—The deaths registered in 77 great towns correspond to an annual rate of 11.4 per 1,000 of the population, which is estimated at 16,940,895.

Ireland.—The deaths registered in 21 principal town districts correspond to an annual rate of 17.8 per 1,000 of the population, which is estimated at 1,151,790. The lowest rate was recorded at Newry, viz, 4.2, and the highest at Sligo, viz, 48, per 1,000 of the population.

Scotland.—The deaths registered in 8 principal towns having an aggregate population of 1,891,936, correspond to an annual rate of 14.2 per 1,000 of the population. The lowest rate was recorded at

Aberdeen, viz, 9, and the highest at Perth, viz, 19.6. The total number of deaths from all causes was 514, including typhus fever 4, typhoid fever 1, measles 13, scarlet fever 5, diphtheria 5.

ITALY—*Milan*.—Period from May 16 to 31, 1910. Population, 900,000. Total number of deaths from all causes 85, including typhoid fever 12, measles 8, tuberculosis 62.

MAURITIUS—*Port Louis*.—Month of March, 1910. Population, 373,071. Total number of deaths from all causes 1,037, including typhoid fever 1, plague 4, tuberculosis 61.

ST. THOMAS.—Two weeks ended June 13, 1910. Population, 12,019. Total number of deaths from all causes 14, including typhoid fever 1, tuberculosis 1.

SPAIN—*Almeria*.—Month of May, 1910. Population, 50,910. Total number of deaths from all causes 155, including typhus fever 3, typhoid fever 8, measles 5, tuberculosis 4.

TAHITI.—Five weeks ended June 3, 1910. Population, 4,000. Total number of deaths from all causes 11. No deaths from contagious diseases.

TASMANIA—*Hobart*.—Month of April, 1910. Population, 186,860. Total number of deaths from all causes 173, including typhoid fever 5, tuberculosis 8.

By authority of the Secretary of the Treasury:

WALTER WYMAN,

Surgeon-General,

United States Public Health and Marine-Hospital Service.